1 BEFORE THE POLLUTION CONTROL HEARINGS BOARD STATE OF WASHINGTON 2 F. S. & GS SERVICES, INC., 3 PCHB NO. 92-127 4 Appellant, 5 FINAL FINDINGS OF FACT.) ٧. CONCLUSIONS OF LAW 6 AND ORDER NORTHWEST AIR POLLUTION) 7 AUTHORITY.) 8 Respondent. 9 10 This case involves F. S. & GS Services, Inc. (F.S. & GS) appeal of Northwest Air 11 Pollution Authority's issuance of Notice of Imposition of Penalty (\$250) following a Notice of 12 Violation No. 2151 issued April 30, 1992 for alleged violations of asbestos handling 13 regulations. 14 A formal hearing was held Friday, May 21, 1993 at the Board's office in Lacey, WA. 15 Board Members present were Chairman Harold S. Zimmerman, presiding; Attorney Member 16 Robert V. Jensen; and Richard C. Kelley. Appellant F. S. & GS Services was represented by 17 Jon Havelock, construction manager. Respondent NWAPA was represented by David Blake, 18 Senior Asbestos and Environmental Specialist. Kim Otis, court reporter of Gene Barker & 19 Associates, Olympia, recorded the proceedings. Sworn testimony was heard. Exhibits were 20 admitted and examined. Oral argument was made. Having considered the memoranda 21submitted and having reviewed the files herein, the Board makes these 22

FINAL FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER PCHB NO. 92-127

27

23

24

25

26

1	
2	
3	
4	
5	
6	
7	
8	
9	1
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	

27

SECTION 570.622 Failure to collect for disposal at the end of each working day asbestos materials that have been removed or stripped.

40 CFR 61.150 Failure to seal all asbestos-containing materials in leak-tight containers while wet.

The fine levied was \$250

V

Inspector Blake entered Island View Elementary School at 2:30 p.m. April 9, 1992, for the inspection and met a worker in the hallway who walked unmasked and unsuited behind barrier tape; Blake followed him and asked for the supervisor. Jon Havelock introduced himself as supervisor. Blake observed that the worker he had seen in the hallway was wet-wiping a 3-stage decontamination unit that was standing alone in the hallway. The worker went for a High Efficiency Particulate Air (HEPA) mask and put it on before continuing to wipe down white fuzzy material smeared on entry doors to the decontamination unit. The inspector said he wanted to sample the material being wiped off the "decon" unit. He asked why the "decon" unit had been removed from the negative pressure enclosure without prior cleaning and why it was being cleaned without negative air pressure. He received no explanation.

VI

After suiting up, putting on a mask and rubber gloves, Inspector Blake took photos and gathered samples of material on the "decon" unit, including a piece of suspected material that had fallen on the floor. He then inspected other rooms, photographed and collected samples from the entry to the half torn-down enclosure in Room 8, off a door across the hall; off a thin ledge beneath the removal area, and from debris remaining in the half torn down enclosure.

 $V\Pi$

Asked about asbestos removal methods and bagging of asbestos containing material (ACM), Inspector Blake described the removal method:

FINAL FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER PCHB NO. 92-127 -3-

1	ŀ
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	1

26

27

- 1. Double wall and floor the enclosure.
- 2. Scrape asbestos containing material and let it fall to the floor.
- 3 Take down inner wall and floor and wrap around the debris and bag it.

VIII

Blake said that normal work procedure would involve scraping and collecting ACM in pre-labeled, 6 mil asbestos bags, then passing the "dirty" or contaminated bag through a waste load out, to the clean side to a waiting worker holding a clean bag, into which the dirty bag would be placed while wet, thus double-bagging.

IX

Mr. Havelock started in asbestos work in 1987. He has an EPA competency card, and is certified as supervisor in Kansas, Oregon and Washington. He has been approved AHERA (Asbestos Hazardous Emergency Response Act) project certified designer, and taken a 4 J-hour hazardous material course.

X

Mr. Havelock contends that three samples were taken in the regulated work area, and two were taken in previously worked parts of the school. He claimed that air monitoring data posted and shown to Inspector Blake show the asbestos-containing data was below EPA recommended standards for airborne contaminants of .01 fibers per cubic centimeter. The worker Mr. Blake saw was working in the hallway in what Mr. Havelock said was a regulated work area doing industry-standard clean up of post-abatement activities. The area was safe according to EPA standards for occupancy Mr. Havelock said.

XI.

Laboratory analysis of the samples were not done according the National Emission Standards for Hazardous Air Pollutants (NESHAP) Section 4. However if asbestos content is

FINAL FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER PCHB NO. 92-127 -4

1	-
2	
3	
4	
5	
6	
6 7	
8	
9	
10	
11	
12	
12 13	
14	ŀ
15	}
15 16 17	}
17	
18	
19	
20	
21	
22	
23	

25

26

27

at less than 10% as determined by a method other than point counting by polarized light microscopy (PLM), verify the asbestos content by point counting using PLM. 40 CFR 161.141.

XΠ

There is a cost difference between the method of point counting analysis at approximately \$120 per sample, and visual estimating at \$10 to \$25 per sample. Of the two samples outside the work area, one was not detected as having asbestos, and the other was estimated at 5% chrysotile asbestos. The laboratory report did not indicate that it was point counted.

XIII

F.S. & GS challenges NWAPA's application of their regulations to the work place of the asbestos contractor, and they challenge the application of NESHAP regulations to them.

The regulations deal with sealing of asbestos-containing materials in leak-tight containers, and with collecting asbestos materials for disposal at the end of each working day.

XIV

F S. & GS argues that Labor and Industries statutes and WAC's pre-empt the field of regulation of asbestos handling in the workplace or work area, and that NWAPA regulations apply only to the general public.

XV

Removal of the decontamination unit to the hallway involved moving the negative pressure enclosure, built with duct tape, plastic, and wood. Design of enclosure and materials are to keep asbestos from contaminating other portions of the school building. But with plastics, and duct tape it's not foolproof in keeping asbestos from getting behind that plastic or behind that duct tape. The side of the decontamination unit had white suspect material,

FINAL FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER PCHB NO. 92-127 -5-

	ı
2	
3	
4	
5	
6	1
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
_	ŀ

sampled by Mr. Blake. The material got there when the worker was removing the respiratory type C air line from the enclosure. The air lines were stuck in the side. The classroom door is 3 feet wide. The "decon" unit is 3 feet wide. Air hoses were placed on the side of the "decon" unit, leading into the enclosure, and they were sealed with tape. To remove items from the enclosure, the employee wraps the hoses with a wet rag from the outside, when they are pulled out.

XVI

Nowicki & Associates, school consultants on the asbestos abatement project, were on site both before and after Mr. Blake's inspection but were not present during the inspection. There were air samples taken by F. S. & GS, but not by Nowicki, who reviewed the figure taken by F. S. & GS.

XVII

Air samples each day show that F. S. & GS was below .01 fibers per cc at the site.

Outside the work area, outside the decontaminated unit entrance for April 10 were also below .01 fibers per cubic centimeter.

XVIII

Nowicki's job is to advise the school district for compliance on regulations, contract documents and the firm did clearance monitoring required by AHERA.

XIX

Any Conclusion of Law deemed to be a Finding of Fact is hereby adopted as such. From these Findings of Fact, the Board issues these:

FINAL FINDINGS OF FACT,
CONCLUSIONS OF LAW AND ORDER
PCHB NO. 92-127
-6-

1	
2	CONCLUSIONS OF LAW
3	I
4	The Board has jurisdiction over the subject matter and the parties. Chapter 43.21B
5	RCW. The case arises under NWAPA Regulations, Section 570, implementing the
6	Washington Clean Air Act, Chapter 70.94 RCW.
7	NWAPA has the burden of proof
8	NWAPA regulations consider 1% asbestos as threshold for violation.
9	1I
10	NWAPA regulations, Section 570 - Focuses on Removal and Encapsulation of Asbestos
11	Material:
12	The Board of Directors of the Northwest Air Pollution Authority recognize that
13	asbestos is a serious health hazard. Any asbestos fibers released into the air can be inhaled and can cause lung cancer, pleural mesothelioma, peritoneal
14	mesothelioma or asbestosis. The Board has, therefore, determined that any
15	asbestos emitted to the ambient air is air pollution. Because of the seriousness of the health hazard, the Board of Directors has adopted this regulation to
16	control asbestos emissions from asbestos removal and encapsulation projects in order to protect the public health. In addition, the Board has adopted these
17	regulations to coordinate with the EPA asbestos NESHAP, the OSHA asbestos
18	regulation, the Washington Department of Labor and Industries asbestos regulations, the Washington Department of Ecology Dangerous Waste
19	regulation, and the solid waste regulations of Skagit, Whatcom and Island Counties.
20	Commes.
21	We conclude that NWAPA adopted this section because of a potential concern over the
22	issue of preemption in the asbestos field.
23	
24	
25	
26	
27	FINAL FINDINGS OF FACT,

PCHB NO. 92-127

Preemption requires either legislative intent to preempt the field or a direct conflict between the state statute and local ordinance such that they cannot be reconciled. Kennedy v. Seattle, 94 Wn.2d 376, 617 P.2d 713 (1980).

Chapter 49.17 RCW, the Washington Industrial Safety and Health Act (WISHA) is addressed to working conditions. RCW 49 17.010.040. It gives the Department of Labor and Industries power to administer safety and health standards for employees in any workplace and permits such standards to be enforced by agencies only pursuant to an interagency agreement with Labor and Industries. RCW 49.17.270

However, WISHA does not, either expressly or by implication, occupy the entire field of regulation of what workers may be required to do. It does not, for example, replace the requirements for cleanliness and sanitation which must be followed by employees of restaurants for the protection of the health of the general public. NWAPA's asbestos work practices are regulations of this latter variety. They are directed to public health and safety generally and are not aimed at protection of the worker. This distinction, we conclude, demonstrates that WISHA does not render NWAPA's asbestos rules invalid because of preemptive intent.

Similarly, Chapter 49 26 RCW establishes a program for regulating practices on "asbestos projects," aimed at working conditions. From this statute we are again unable to infer a preemptive intent to bar concurrent regulation of asbestos removal and encapsulation projects in the interests of "ambient air" quality protection for the public at large.

Moreover, we have not been shown that compliance with NWAPA's asbestos program necessitates non-compliance with Labor and Industries' program for the workplace. The mere existence of additional requirements does not indicate a conflict. We take judicial notice, from

1	Ī
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	distribute.
12	
13	
14	
15	
16 17 18	
18	
19	
20	
21	
22	
23	
24	
25	

27

prior cases, that NWAPA's and Labor and Industries' inspections of asbestos removal are often concurrent, with the inspectors assisting each other. Accordingly, we conclude that there is room for concurrent jurisdiction in this area and that the air pollution agency's asbestos regulations do not conflict with the cited statutes of the state. Interstate Industrial Mechanical v. PSAPCA, PCHB 88-147 and 88-175

IV

We conclude that Section 570.823 was violated April 9, 1992 when asbestos containing materials were found and taken as samples from the Island View Elementary School, and under laboratory analysis reportedly contained over 1% chrysotile and therefore were not sealed in leak-tight containers while wet.

V

We conclude that Section 570.622(C)(2) was violated April 9, 1992 when some asbestos materials stripped or removed the previous working day were not collected for disposal at the end of that working day

VI

We conclude that NWAPA has not proven that F. S. & GS violated NESHAP 40 CFR ξ61.150(a)(1)(ni), because it was not proven that the laboratory analysis of the samples were done according to National Emission Standards for Hazardous Air Pollutants (NESHAP) as required in 40 CFR ξ61.141.

VII

The purpose of civil penalties is to promote future compliance with the law, both by these parties and the public at large. The reasonableness of penalties is based upon several factors, including the scope of the violation and appellants' conduct.

FINAL FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER PCHB NO. 92-127 -9

We conclude that F. S. & GS' lack of prior violations of NWAPA regulations and its penalty that was issued. VIII From the foregoing, the Board issues this: FINAL FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER

efforts to fully understand and comply with state and federal regulations makes appropriate the

Any Finding of Fact deemed to be a Conclusion of Law is hereby adopted as such.

-10-PCHB NO. 92-127

1	ORDER
2	
3	The Notice of Imposition of Penalty to F.S. & GS as to violations of NWAPA
4	regulations Section 570.823 and Section 570.622 are affirmed and of 40 CFR 61.150 is
5	reversed.
6	The \$250 penalty is affirmed.
7	DONE this 3rd day of June, 1993.
8	POLLUTION CONTROL HEARINGS BOARD
9	9/
10	Sand A. Smoren
11	HAROLD S. ZIMMERMAN, Presiding
12	Robert 1.
13	ROBERT V. JENSEN, Attorney Member
14	1 1-1111
15	Violan Julia
16	RICHARD C. KELLEY, Member
17	
18	P92-127F
19	
20	
21	
22	
23	
24	
25	
26	
27	FINAL FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER PCHB NO. 92-127 -11-